

Milford Astor

Thermal Ribbon Standard Range

Stock Code	Description	Size	Sq m	Ink	Printer	Grade
Wax Resin B110A CSO						
T04ROZNFCS040300	B110A CSO (Stk)	40mm x300m	12.0	OUT	Zebra	B110A
T04ROZNFCS045300	B110A CSO (Stk-A)	45mm x300m	13.5	OUT	Zebra	B110A
T04ROZNFCS050300	B110A CSO (Stk)	50mm x300m	15.0	OUT	Zebra	B110A
T04ROZNFCS055300	B110A CSO (Stk-A)	55mm x300m	16.5	OUT	Zebra	B110A
T04ROZNFCS060300	B110A CSO (Stk-A)	60mm x300m	18.0	OUT	Zebra	B110A
T04ROZNFCS060450	B110A CSO (Stk)	60mm x450m	27.0	OUT	Zebra	B110A
T04ROZNFCS065300	B110A CSO (Stk)	65mm x300m	19.5	OUT	Zebra	B110A
T04ROZNFCS070300	B110A CSO (Stk-A)	70mm x300m	21.0	OUT	Zebra	B110A
T04ROZNFCS080300	B110A CSO (Stk-A)	80mm x300m	24.0	OUT	Zebra	B110A
T04ROZNFCS080450	B110A CSO (Stk)	80mm x450m	36.0	OUT	Zebra	B110A
T04ROZNFCS085300	B110A CSO (Stk-A)	85mm x300m	25.5	OUT	Zebra	B110A
T04ROZNFCS085450	B110A CSO (Stk)	85mm x450m	38.3	OUT	Zebra	B110A
T04ROZNFCS090300	B110A CSO (Stk-A)	90mm x300m	27.0	OUT	Zebra	B110A
T04ROZNFCS100300	B110A CSO (Stk-A)	100mm x300m	30.0	OUT	Zebra	B110A
T04ROZNFCS100450	B110A CSO (Stk)	100mm x450m	45.0	OUT	Zebra	B110A
T04ROZNFCS104152	B110A CSO (Stk)	104mm x152m	15.8	OUT	Intermec	B110A
T04ROZNFCS104300	B110A CSO (Stk-A)	104mm x300m	31.2	OUT	Zebra	B110A
T04ROZNFCS104450	B110A CSO (Stk)	104mm x450m	46.8	OUT	Zebra	B110A
T04ROZNFCS110300	B110A CSO (Stk-A)	110mm x300m	33.0	OUT	Zebra	B110A
T04ROZNFCS110450	B110A CSO (Stk-A)	110mm x450m	49.5	OUT	Zebra	B110A
T04ROZNFCS130300	B110A CSO (Stk)	130mm x300m	39.0	OUT	Zebra	B110A
T04ROZNFCS130450	B110A CSO (Stk)	130mm x450m	58.5	OUT	Zebra	B110A
T04ROZNFCS170300	B110A CSO (Stk-A)	170mm x300m	51.0	OUT	Zebra	B110A
T04ROZNFCS220300	B110A CSO (Stk)	220mm x300m	66.0	OUT	Zebra	B110A
T04ROZNFCS220450	B110A CSO (Stk)	220mm x450m	99.0	OUT	Zebra	B110A
Wax Resin B110A CSI						
T04RIZNFCC040360	B110A CSI (Stk)	40mm x360m	14.4	IN	Datamax,Sato	B110A
T04RIZNFCC050360	B110A CSI (Stk)	50mm x360m	18.0	IN	Datamax,Sato	B110A
T04RIZNFCC060360	B110A CSI (Stk)	60mm x360m	21.6	IN	Datamax,Sato	B110A
T04RIZNFCC076360	B110A CSI (Stk)	76mm x360m	27.4	IN	Datamax,Sato	B110A
T04RIZNFCC100360	B110A CSI (Stk)	100mm x360m	36.0	IN	Datamax,Sato	B110A
T04RIZNFCC104360	B110A CSI (Stk-A)	104mm x360m	37.4	IN	Datamax,Sato	B110A
T04RIZNFCC110360	B110A CSI (Stk)	110mm x360m	39.6	IN	Datamax,Sato	B110A
T04RIZNFCC114360	B110A CSI (Stk)	114mm x360m	41.0	IN	Datamax,Sato	B110A
T04RIZNFCC130360	B110A CSI (Stk)	130mm x360m	46.8	IN	Datamax,Sato	B110A
T04RIZNFCC155360	B110A CSI (Stk)	155mm x360m	55.8	IN	Datamax,Sato	B110A
T04RIZNFCC170360	B110A CSI (Stk)	170mm x360m	61.2	IN	Datamax,Sato	B110A
Wax Resin T62 CSO						
T62ROZNFCS040300	T62 CSO (Stk)	40mm x300m	12.0	OUT	Zebra	T62
T62ROZNFCS045300	T62 CSO (Stk-A)	45mm x300m	13.5	OUT	Zebra	T62
T62ROZNFCS050300	T62 CSO (Stk)	50mm x300m	15.0	OUT	Zebra	T62
T62ROZNFCS055300	T62 CSO (Stk-A)	55mm x300m	16.5	OUT	Zebra	T62
T62ROZNFCS060300	T62 CSO (Stk-A)	60mm x300m	18.0	OUT	Zebra	T62
T62ROZNFCS060450	T62 CSO (Stk)	60mm x450m	27.0	OUT	Zebra	T62
T62ROZNFCS065300	T62 CSO (Stk)	65mm x300m	19.5	OUT	Zebra	T62
T62ROZNFCS070300	T62 CSO (Stk-A)	70mm x300m	21.0	OUT	Zebra	T62
T62ROZNFCS080300	T62 CSO (Stk-A)	80mm x300m	24.0	OUT	Zebra	T62
T62ROZNFCS080450	T62 CSO (Stk)	80mm x450m	36.0	OUT	Zebra	T62
T62ROZNFCS085300	T62 CSO (Stk-A)	85mm x300m	25.5	OUT	Zebra	T62
T62ROZNFCS085450	T62 CSO (Stk)	85mm x450m	38.3	OUT	Zebra	T62
T62ROZNFCS090300	T62 CSO (Stk-A)	90mm x300m	27.0	OUT	Zebra	T62
T62ROZNFCS100300	T62 CSO (Stk-A)	100mm x300m	30.0	OUT	Zebra	T62
T62ROZNFCS100450	T62 CSO (Stk)	100mm x450m	45.0	OUT	Zebra	T62
T62ROZNFCS104152	T62 CSO (Stk)	104mm x152m	15.8	OUT	Intermec	T62

T62ROZNFCS104300	T62 CSO (Stk-A)	104mm x300m	31.2	OUT	Zebra	T62
T62ROZNFCS104450	T62 CSO (Stk)	104mm x450m	46.8	OUT	Zebra	T62
T62ROZNFCS110300	T62 CSO (Stk-A)	110mm x300m	33.0	OUT	Zebra	T62
T62ROZNFCS110450	T62 CSO (Stk-A)	110mm x450m	49.5	OUT	Zebra	T62
T62ROZNFCS130300	T62 CSO (Stk)	130mm x300m	39.0	OUT	Zebra	T62
T62ROZNFCS130450	T62 CSO (Stk)	130mm x450m	58.5	OUT	Zebra	T62
T62ROZNFCS170300	T62 CSO (Stk-A)	170mm x300m	51.0	OUT	Zebra	T62
T62ROZNFCS220300	T62 CSO (Stk)	220mm x300m	66.0	OUT	Zebra	T62
T62ROZNFCS220450	T62 CSO (Stk)	220mm x450m	99.0	OUT	Zebra	T62
Wax Resin T62 CSI						
T62RIZNFCC040360	T62 CSI (Stk)	40mm x360m	14.4	IN	Datamax,Sato	T62
T62RIZNFCC050360	T62 CSI (Stk)	50mm x360m	18.0	IN	Datamax,Sato	T62
T62RIZNFCC060360	T62 CSI (Stk)	60mm x360m	21.6	IN	Datamax,Sato	T62
T62RIZNFCC076360	T62 CSI (Stk)	76mm x360m	27.4	IN	Datamax,Sato	T62
T62RIZNFCC100360	T62 CSI (Stk)	100mm x360m	36.0	IN	Datamax,Sato	T62
T62RIZNFCC104360	T62 CSI (Stk-A)	104mm x360m	37.4	IN	Datamax,Sato	T62
T62RIZNFCC110360	T62 CSI (Stk)	110mm x360m	39.6	IN	Datamax,Sato	T62
T62RIZNFCC114360	T62 CSI (Stk)	114mm x360m	41.0	IN	Datamax,Sato	T62
T62RIZNFCC130360	T62 CSI (Stk)	130mm x360m	46.8	IN	Datamax,Sato	T62
T62RIZNFCC155360	T62 CSI (Stk)	155mm x360m	55.8	IN	Datamax,Sato	T62
T62RIZNFCC170360	T62 CSI (Stk)	170mm x360m	61.2	IN	Datamax,Sato	T62
Wax T61 CSO						
T61ROZNFBS040300	T61 CSO (Stk)	40mm x300m	12.0	OUT	Zebra	T61
T61ROZNFBS060300	T61 CSO (Stk)	60mm x300m	18.0	OUT	Zebra	T61
T61ROZNFBS080300	T61 CSO (Stk)	80mm x300m	24.0	OUT	Zebra	T61
T61ROZNFBS090300	T61 CSO (Stk)	90mm x300m	27.0	OUT	Zebra	T61
T61ROZNFBS100300	T61 CSO (Stk)	100mm x300m	30.0	OUT	Zebra	T61
T61ROZNFBS104300	T61 CSO (Stk)	104mm x300m	31.2	OUT	Zebra	T61
T61ROZNFBS110300	T61 CSO (Stk)	110mm x300m	33.0	OUT	Zebra	T61
T61ROZNFBS110450	T61 CSO (Stk)	110mm x450m	49.5	OUT	Zebra	T61
T61ROZNFBS130300	T61 CSO (Stk)	130mm x300m	39.0	OUT	Zebra	T61
Wax T61 CSI						
T61RIZNFBC040300	T61 CSI (Stk)	40mm x300m	12.0	IN	Datamax,Sato	T61
T61RIZNFBC060360	T61 CSI (Stk)	60mm x360m	21.6	IN	Datamax,Sato	T61
T61RIZNFBC076360	T61 CSI (Stk)	76mm x360m	27.4	IN	Datamax,Sato	T61
T61RIZNFBC080300	T61 CSI (Stk)	80mm x300m	24.0	IN	Datamax,Sato	T61
T61RIZNFBC104360	T61 CSI (Stk-A)	104mm x360m	37.4	IN	Datamax,Sato	T61
T61RIZNFBC110360	T61 CSI (Stk)	110mm x360m	39.6	IN	Datamax,Sato	T61
T61RIZNFBC110450	T61 CSI (Stk)	110mm x450m	49.5	IN	Datamax,Sato	T61
T61RIZNFBC130360	T61 CSI (Stk)	130mm x360m	46.8	IN	Datamax,Sato	T61
Near Edge Wax Resin CSO Edegetec						
T40ROZRFCS055600	T40 CSO (Stk-A)	55mmx 600m	33.0	OUT	TEC	T40
T40ROZRFCS076600	T40 CSO (Stk-A)	76mmx 600m	45.6	OUT	TEC	T40
T40ROZRFCS089600	T40 CSO (Stk-A)	89mmx 600m	53.4	OUT	TEC	T40
T40ROZRFCS114600	T40 CSO (Stk-A)	114mmx 600m	68.4	OUT	TEC	T40
Near Edge Wax Resin CSO B112						
T51ROZRFCS114600	B112 CSO (Stk-A)	114mm x600m	68.4	OUT	TEC	B112
Near Edge Wax Resin CSO						
T24ROZRFCS055600	NETMARK IQ CSO (Stk)	55mm x600m	33.0	OUT	TEC	NETIQ
T24ROZRFCS070600	NETMARK IQ CSO (Stk)	70mm x600m	42.0	OUT	TEC	NETIQ
T24ROZRFCS080600	NETMARK IQ CSO (Stk)	80mm x600m	48.0	OUT	TEC	NETIQ
T24ROZRFCS084600	NETMARK IQ CSO (Stk)	84mm x600m	50.4	OUT	TEC	NETIQ
T24ROZRFCS104600	NETMARK IQ CSO (Stk)	104mm x600m	62.4	OUT	TEC	NETIQ
Resin B110C CSO						
T05ROZNFSGC040300	B110C CSO (Stk)	40mm x300m	12.0	OUT	ZEBRA	B110C
T05ROZNFSGC060300	B110C CSO (Stk)	60mm x300m	18.0	OUT	ZEBRA	B110C
T05ROZNFSGC076300	B110C CSO (Stk)	76mm x300m	22.8	OUT	ZEBRA	B110C
T05ROZNFSGC104300	B110C CSO (Stk)	104mm x300m	31.2	OUT	ZEBRA	B110C
T05ROZNFSGC110300	B110C CSO (Stk)	110mm x300m	33.0	OUT	ZEBRA	B110C
T05ROZNFSGC130300	B110C CSO (Stk)	130mm x300m	39.0	OUT	ZEBRA	B110C

Resin B110C CSI

T05RIZNFGC040360	B110C CSI (Stk)	40mm x360m	14.4	IN	Datamax,Sato	B110C
T05RIZNFGC060360	B110C CSI (Stk)	60mm x360m	21.6	IN	Datamax,Sato	B110C
T05RIZNFGC076360	B110C CSI (Stk)	76mm x360m	27.4	IN	Datamax,Sato	B110C
T05RIZNFGC104360	B110C CSI (Stk)	104mm x360m	37.4	IN	Datamax,Sato	B110C
T05RIZNFGC110360	B110C CSI (Stk)	110mm x360m	39.6	IN	Datamax,Sato	B110C
T05RIZNFGC130360	B110C CSI (Stk)	130mm x360m	46.8	IN	Datamax,Sato	B110C

Date coding thermal ribbon CSI

T55RIZRFCS055450	P110 CSI (Stk)	55mm x 450m	25.0	IN	Smartdate	P110
------------------	----------------	-------------	------	----	-----------	------

Date coding thermal ribbon CSO

T55ROZRFCS055600	P110 CSO (Stk)	55mm x 600m	33.0	OUT	Smartdate	P110
------------------	----------------	-------------	------	-----	-----------	------

Wax Resin B210A CSO

T06ROZNFCS040300	B210A BLUE CSO (Stk)	40mm x300m	12.0	OUT	Zebra	B210A
T06ROZNFCS060300	B210A BLUE CSO (Stk)	60mm x300m	18.0	OUT	Zebra	B210A
T06ROZNFCS080300	B210A BLUE CSO (Stk)	80mm x300m	24.0	OUT	Zebra	B210A
T06ROZNFCS104300	B210A BLUE CSO (Stk)	104mm x300m	31.2	OUT	Zebra	B210A
T06ROZNFCS110300	B210A BLUE CSO (Stk)	110mm x300m	33.0	OUT	Zebra	B210A
T06ROZNFCS130300	B210A BLUE CSO (Stk)	130mm x300m	39.0	OUT	Zebra	B210A

Wax Resin B210A CSI

T06RIZNFCC060360	B210A BLUE CSI (Stk)	60mm x360m	21.6	IN	Datamax,Sato	B210A
T06RIZNFCC076360	B210A BLUE CSI (Stk)	76mm x360m	27.4	IN	Datamax,Sato	B210A
T06RIZNFCC104360	B210A BLUE CSI (Stk)	104mm x360m	37.4	IN	Datamax,Sato	B210A
T06RIZNFCC110360	B210A BLUE CSI (Stk)	110mm x360m	39.6	IN	Datamax,Sato	B210A

Wax Resin Red B310A CSO

T07ROZNFCS040300	B310A RED CSO (Stk)	40mm x300m	12.0	OUT	Zebra	B310A
T07ROZNFCS060300	B310A RED CSO (Stk)	60mm x300m	18.0	OUT	Zebra	B310A
T07ROZNFCS080300	B310A RED CSO (Stk)	80mm x300m	24.0	OUT	Zebra	B310A
T07ROZNFCS104300	B310A RED CSO (Stk)	104mm x300m	31.2	OUT	Zebra	B310A
T07ROZNFCS110300	B310A RED CSO (Stk)	110mm x300m	33.0	OUT	Zebra	B310A
T07ROZNFCS130300	B310A RED CSO (Stk)	130mm x300m	39.0	OUT	Zebra	B310A

Wax Resin Red B310A CSI

T07RIZNFCC060360	B310A RED CSI (Stk)	60mm x360m	21.6	IN	Datamax,Sato	B310A
T07RIZNFCC076360	B310A RED CSI (Stk)	76mm x360m	27.4	IN	Datamax,Sato	B310A
T07RIZNFCC104360	B310A RED CSI (Stk)	104mm x360m	37.4	IN	Datamax,Sato	B310A
T07RIZNFCC110360	B310A RED CSI (Stk)	110mm x360m	39.6	IN	Datamax,Sato	B310A

Wax Resin Green B610A CSO

T08ROZNFCS040300	B610A GRN CSO (Stk)	40mm x300m	12.0	OUT	Zebra	B610A
T08ROZNFCS060300	B610A GRN CSO (Stk)	60mm x300m	18.0	OUT	Zebra	B610A
T08ROZNFCS080300	B610A GRN CSO (Stk)	80mm x300m	24.0	OUT	Zebra	B610A
T08ROZNFCS104300	B610A GRN CSO (Stk)	104mm x300m	31.2	OUT	Zebra	B610A
T08ROZNFCS110300	B610A GRN CSO (Stk)	110mm x300m	33.0	OUT	Zebra	B610A
T08ROZNFCS130300	B610A GRN CSO (Stk)	130mm x300m	39.0	OUT	Zebra	B610A

Wax Resin Green B610A CSI

T08RIZNFCC060360	B610A GRN CSI (Stk)	60mm x360m	21.6	IN	Datamax,Sato	B610A
T08RIZNFCC104360	B610A GRN CSI (Stk)	104mm x360m	37.4	IN	Datamax,Sato	B610A
T08RIZNFCC110360	B610A GRN CSI (Stk)	110mm x360m	39.6	IN	Datamax,Sato	B610A
T08RIZNFCC130360	B610A GRN CSI (Stk)	130mm x360m	46.8	IN	Datamax,Sato	B610A

Small core (13mm) Wax Resin T62 CSO

T62SOSRFCS057070	T62 SC CSO (Stk A)	57mm x 70m	4.0	OUT/CENTR	Elton , Zebra	T62
T62SOSRCCS065070	T62 SC CSO (Stk A)	65mm x 70m	4.6	OUT/CENTR	Elton , Zebra	T62
T62SOSRCCS085070	T62 SC CSO (Stk A)	85mm x 70m	6.0	OUT/CENTR	Elton , Zebra	T62
T62SOSRFCS110070	T62 SC CSO (Stk A)	110mm x 70m	7.7	OUT/FLUSH	Elton , Zebra	T62

Small core (13mm) Wax Resin B110A

T04SOSRFCS110070	B110A SC CSO (Stk A)	110mm x 70m	7.7	OUT/FLUSH	Elton , Zebra	T04
------------------	----------------------	-------------	-----	-----------	---------------	-----

Small core (13mm) Resin B110C

T05SOSNFGS110070	B110C SC CSO(Stk-A)	110mm x70m	7.7	OUT/FLUSH	Elton , Zebra	T05
------------------	---------------------	------------	-----	-----------	---------------	-----

All ribbons highlighted in yellow are held in stock and available for same or next day despatch

All other items are despatched within four days

Widths and lengths not listed above, please check with our customer service staff